



RAW SEQUENCE LISTING ERROR REPORT

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: 10/812,238
Source: IFW0
Date Processed by STIC: 4/6/04

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.

PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION AND PATENTIN SOFTWARE QUESTIONS, PLEASE CONTACT MARK SPENCER, TELEPHONE: 703-308-4212; FAX: 703-308-4221

Effective 12/13/03: TELEPHONE: 571-272-2510; FAX: 571-273-0221

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE CHECKER VERSION 4.1 PROGRAM, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

<http://www.uspto.gov/web/offices/pac/checker/chkr41note.htm>

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail.

Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.

Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

1. EFS-Bio (<<http://www.uspto.gov/ebc/efs/downloads/documents.htm>> , EFS Submission User Manual - ePAVE)
2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
3. Hand Carry directly to (EFFECTIVE 12/01/03):
U.S. Patent and Trademark Office, Box Sequence, Customer Window, Lobby, Room 1B03, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202
4. Federal Express, United Parcel Service, or other delivery service to: U.S. Patent and Trademark Office, Box Sequence, Room 4B03-Mailroom, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202

Revised 10/08/03



IFWO

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/812,238

DATE: 04/06/2004

TIME: 13:29:44

Input Set : A:\D6563SEQ.txt

Output Set: N:\CRF4\04062004\J812238.raw

3 <110> APPLICANT: Wary, Kishore, K.
 4 Huntsoe, Joseph O.
 6 <120> TITLE OF INVENTION: Uses of Vascular Endothelial Growth Factor
 7 and Type I Collagen Inducible Protein (VCIP)
 9 <130> FILE REFERENCE: D6563
 E--> 11 <140> CURRENT APPLICATION NUMBER: US/10/812,238
 C--> 11 <141> CURRENT FILING DATE: 2004-03-29
 13 <150> PRIOR APPLICATION NUMBER: US 60/458,164
 14 <151> PRIOR FILING DATE: 2003-03-27
 16 <160> NUMBER OF SEQ ID NOS: 36

ERRORED SEQUENCES

481 <210> SEQ ID NO: 31
 482 <211> LENGTH: (35) 25 shown below
 483 <212> TYPE: DNA
 484 <213> ORGANISM: Artificial Sequence
 486 <220> FEATURE:
 487 <221> NAME/KEY: primer_bind
 488 <223> OTHER INFORMATION: reverse primer for C-terminal PAP2b truncation
 490 <400> SEQUENCE: 31
 E--> 491 cgcgatcgat ctacgtcgtc ttagt (35) 25

Does Not Comply
 Corrected Diskette Needed

VERIFICATION SUMMARY

PATENT APPLICATION: US/10/812,238

DATE: 04/06/2004

TIME: 13:29:45

Input Set : A:\D6563SEQ.txt

Output Set: N:\CRF4\04062004\J812238.raw

L:11 M:282 E: Numeric Field Identifier Missing, <140> CURRENT APPLICATION NUMBER: is Added.
L:11 M:271 C: Current Filing Date differs, Replaced Current Filing Date
L:491 M:254 E: No. of Bases conflict, LENGTH:Input:35 Counted:25 SEQ:31
L:491 M:252 E: No. of Seq. differs, <211> LENGTH:Input:35 Found:25 SEQ:31